

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	("2004000224").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 17:59
S2	2	("200400224").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 11:34
S3	2	("20040002224").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 12:32
S4	8643	((156/345.26,345.28,345.29,345.35,345.32,345.43,345.47) or (118/715,723er,719,689,663,692,710)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 12:34
S5	338	S4 and ozone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 14:51
S6	9	S4 and ozone and ((oxygen or O2) same ((carbon adj dioxide) or CO2) same (nitrogen or N2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 16:13
S7	8643	((156/345.26,345.28,345.29,345.35,345.32,345.43,345.47) or (118/715,723er,719,689,663,692,710)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 16:13
S8	22	S7 and ozone and ((oxygen or "O.sub.2") same ((carbon adj dioxide) or "CO.sub.2") same (nitrogen or "N.sub.2"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 16:14

S9	9	S7 and ozone and ((oxygen or O2) same ((carbon adj dioxide) or CO2) same (nitrogen or N2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 16:14
S10	14	S8 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 16:15
S11	2	((ozone or O3 or "O.sub.3") adj generator) same ((flow regulator) or MFC or (mass flow controller) or (needle adj valve)) same ((controller or CPU or computer) with demand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 18:07
S12	2	((ozone or O3 or "O.sub.3") adj generator) same ((flow regulator) or MFC or (mass flow controller) or (needle adj valve)) same ((controller or CPU or computer) same demand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 18:08
S13	4	((ozone or O3 or "O.sub.3") adj generator) and ((flow regulator) or MFC or (mass flow controller) or (needle adj valve)) and (((controller or CPU or computer) same demand))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 18:15
S14	184	((ozone or O3 or "O.sub.3") adj generator) and ((flow regulator) or MFC or (mass flow controller) or (needle adj valve)) and ((controller or CPU or computer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 18:16
S15	174	S14 and (@ad<="20030623" or @rlad<="20030623")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/05/23 18:18
S16	4	((("20030133854") or ("5281295") or ("20030170949") or ("6869499")).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/25 12:24